

Report to the Auburn City Council

Action Item

Agenda Item No.

Manager Approval

To:

Honorable Mayor and City Council Members

From:

Bernie Schroeder, Director of Public Works

Andy Heath, Director of Administrative Services

Date:

May 23, 2011

Subject:

Fiscal Year 2011-12 Sewer Service Charges

The Issue

Shall the City Council implement the scheduled sewer service charges as previously adopted?

Conclusion and Recommendation

Staff recommends that City Council, BY MOTION, implement the scheduled sewer service charges as adopted on June 25, 2007.

Background

Carrian Campian Changes

On June 25, 2007, the City Council adopted a sewer rate study and an ordinance amendment that implemented sewer service charges for five years to provide funding for (1) the upgrade to the Wastewater Treatment Plant required by the 2005 NPDES (National Pollutant Discharge Elimination System) permit, (2) annual operating cost increases, and (3) ongoing and future capital requirements. The five year rate schedule covers the period beginning with Fiscal Year (FY) 2007-08 through FY 2011-12. On May 24, 2010, the City Council directed staff to halt the scheduled increase of the Sewer Service Use Charge for FY 2010-11 and keep rates unchanged at the FY 2009-10 levels. The adopted sewer service charges including last years amendment are shown in the following chart:

Monthly Sewer Service Charges

Fiscal Year 2009-10: \$56.25 per Sewer Unit Fiscal Year 2010-11: \$56.25 per Sewer Unit Subsequent Years: \$60.50 per Sewer Unit

On February 3, 2011, the Central Valley Regional Water Quality Control Board adopted the City of Auburn's NPDES permit that provides regulatory requirements until 2015. The City of Auburn receives an NPDES permit every five years. Planning for what projects are on the horizon to meet these future requirements is critical and must start well in advance of when they

are needed. This was specifically considered when the Proposition 218 Hearings were conducted and the above rate structure was adopted in 2007.

This past week the Central Valley Clean Water Association held its annual conference as an opportunity for the staff from the California Regional Water Quality Control Board to provide information to discharges on what should be considered the highest priority in the coming years from a permitting standpoint. In turn, Staff has conducted a comprehensive review of the sewer budgets for FY 2011-12 through FY 2014-15 to identify both operating and capital project budget projections to meet these requirements. These priority projects were considered in light of known water quality objectives and specifically what projects will assist in achieving these goals for Auburn's next discharge permit. Specifically, the capital project budget projections incorporate collection system repairs, sewer lift station repairs/upgrades, WWTP repairs, and equipment replacements to ensure maintained compliance with the City's Sewer System Management Plan. The capital project list also incorporates the next major capital project that staff foresees - the need to replace the existing oxidation ditch. This project has been noted in the Auburn Wastewater Treatment Plant Master Plan and anticipated as an iron clad option for treating nitrogen in the future. The process of nitrifying and partially denitrifying is responsible for the removal of ammonia in the wastewater.

Staff estimates the cost of the Oxidation Ditch project to be approximately \$ 4,800,000 (see attached Technical Memorandum: City of Auburn Secondary Treatment Options for the WWTP). The oxidation ditch currently is a 1.25 million gallon aeration basin built in 1975 which is operated to nitrify and partially denitrify the sewage. This aged structure is performing in a capacity not as it was originally intended and although it is meeting this purpose now its replacement would minimize any future concerns relating to nitrogen as well as provided much needed redundancy at the plant.

Additional Information

Each year the City is required to conduct a Public Hearing and adopt a resolution authorizing the collection of the City of Auburn Sewer Service Use Charges to be placed on the County of Placer Tax Roll. Due to noticing requirements for the public hearing, staff needs to prepare the annual FY 2011-12 Sewer Service Use Charge Report by the beginning of June to ensure the placement of the City of Auburn Sewer Service Use Charges on the County of Placer Tax Roll.

Analysis

Staff has prepared six possible rate alternatives for consideration by the City Council. As a means to compare the various rate scenarios considered for FY 2011-12, the following assumptions were built into each rate model:

Future Rate Increases - 2% increase each fiscal year after FY 11-12
Staff Costs - 3% increase each fiscal year after FY 11-12
Materials / Supplies / Services Costs - 5% increase each fiscal year after FY 11-12
Contract (WWTP) Operations Costs - 5% increase each fiscal year after FY 11-12

Sewer Service Charges 2

Each rate alternative also includes an assumption that all remaining bond proceeds from the recently completed wastewater facility upgrade will be expended on eligible capital projects by the end of FY 12-13.

Rate Alternatives

Three different rate levels previously approved via the Proposition 218 rate setting process implemented by the City Council in June 2007 are presented within the scope of this analysis. Staff has constructed estimated budgets through FY 2014-15 for each of the rate levels considered using two different capital funding scenarios – with and without a 20-year financing of the \$5 million Oxidation Ditch project scheduled to begin in FY 2011-12. The following rate alternatives have been considered and are included as Exhibits to this report:

Funding of Oxidation Ditch using existing reserves

- Alternative #1 Maintain current monthly rate of \$56.25 per EDU (Exhibit 1)
- Alternative #2 Raise monthly rate to \$58.25 per EDU (postponed increase from FY 2010-11) (Exhibit 2)
- Alternative #3 Raise monthly rate to \$60.50 per EDU (scheduled increase for FY 2011-12) (Exhibit 3)

Funding of Oxidation Ditch using 20-year bond financing

- Alternative #4 Maintain current monthly rate of \$56.25 per EDU (Exhibit 4)
- Alternative #5 Raise monthly rate to \$58.25 per EDU (postponed increase from FY 2010-11) (Exhibit 5)
- Alternative #6 Raise monthly rate to \$60.50 per EDU (scheduled increase for FY 2011-12) (Exhibit 6)

Key Criteria to Consider within Scope of Rate Analysis

Each of the six rate alternatives should be evaluated within the context of the following key criteria:

- 1. Ability to maintain current levels of Sewer Fund "designated" reserves. Designated reserves include \$1.995 million for WWTP UV Disinfection (has been recently considered as "buy-in" capital available towards the potential regionalization of wastewater operations), \$250,000 for the Regionalization Study effort, and applicable debt service reserves consistent with loan and bond covenants.
- 2. The Sewer Fund has the ability to fully fund or finance the \$5 million Oxidation Ditch project scheduled to begin in FY 2011-12, without compromising designated reserves.
- 3. The Sewer Fund operating margin (net from operations) is able to cover annual costs for as-needed capital maintenance and new capital infrastructure and outlay (average annual expenditure of \$1.2 million over last five years).
- 4. Ability to maintain appropriate level of discretionary fund balance (undesignated reserves) as a means to assure the solvency of the Sewer Fund in recognition of the City's aging sewer infrastructure and a sometimes unpredictable regulatory environment.

Sewer Service Charges 3

Given these goals, the following table compares each of the six alternatives presented above. Information in this table will form the basis for a presentation by staff during the City Council meeting.

	La contraction of the contractio	Oxidation l rves / Fund		Financ	e Oxidation	ı Ditch
	Alt #1	Alt #2	Alt #3	Alt #4	Alt #5	Alt #6
Proposed Rate (\$/month/EDU)	\$56.25	\$58.25	\$60.50	\$56.25	\$58.25	\$60.50
- Maintains all Designated Reserves	NO	NO	YES	YES	YES	YES
- Ability to Fund Oxidation Ditch	NO	NO	YES	YES	YES	YES
- Operating Margin at or near 5- year average capital expenditure level (\$1.2 million)	YES	YES	YES	NO	NO	YES
- Stable Discretionary Fund Balance for Contingencies	NO	NO	NO	NO	YES	YES

Alternatives Available to Council; Implications of Alternatives

- 1. Proceed with Staff Recommendation
- 2. Do not proceed with staff recommendation

Fiscal Impact

The fiscal impact for each of the rate alternatives presented above is detailed in attached exhibits.

Exhibits:

Sewer Enterprise 5 Year Budget Projections (Exhibit #1-6)

Sewer Enterprise Budget Capital Expenditure Detail

Technical Memorandum: City of Auburn Secondary Treatment Options for the

WWTP

City of Auburn Fiscal Year 2011-12 Budget Sewer Enterprise Fund (Fund 11)

Rate @ FY 2011/12

\$ 56.25

Total:	Associate Civil Engineer Engineering Tech II Maintenance Worker II Mechanic	Personal Services Allocation	NET FROM OPERATIONS	Ending Fund Balance	Less: Reserve for WWTP UV Disinfection Reserve for Regionalization Study Reserve for WWTP Upgrade Project General Reserve (8%) - SWRCB Loans Debt Service Reserve - Upgrade Project Bonds	Beginning Fund Balance	Excess (deficit) of revenues over expenditures	Total:	Administrative Expense - Staff Costs Materials and Services Contract Operations Debt Service Capital Projects Capital Outlay Mandatory Minimum Penaltics Bond Closing Costs	Total:	Sewer Service Charges Sewer Connection Fees Sewer Development Fees Interest Income Miscellaneous Income Debt Proceeds	Revenues:
2.0	0.0	AUTHORIZED 2008-09	\$ 1,959,552	\$ 2,239,950	1,95,000 250,000 - 201,431	4,560,370	\$ 126,011	\$ 4,404,562	\$ 200,823 478,355 1,560,657 282,234 1,872,143 10,350	\$ 4,530,573	\$ 4,295,472 38,602 131,699 64,800	ACTUAL 2008-09
2.0	1.0 1.0 0.0	AUTHORIZED 2009-10	\$ 1,591,989	3,184,989	1,995,000 250,000 3,317,903 282,234 557,752	4,686,381	4,901,497	8,081,185	223,808 311,353 1,677,244 927,440 4,899,885 41,455	12,982,682	4,610,457 29,081 (33,456) 162,832 8,213,768	ACTUAL 2009-10
3.0	0.000	AUTHORIZED 2010-11	\$ 1,405,716	3,526,836	1,993,000 250,000 1,545,772 282,234 557,752	9,587,878	(1,430,284)	6,160,284	250,000 390,550 1,610,000 853,734 2,845,000 110,000	4,730,000	4,570,000 110,000 150,000	BUDGET 2010-11
			\$ 1,504,973	3,938,415	1,995,000 250,000 1,017,903 282,234 557,752	9,587,878	(1,546,574)	6,338,777	238,500 338,861 1,575,000 853,736 3,093,750 97,932 141,000	4,792,203	4,650,000 42,203 100,000	AS OF 04/13/11 ESTIMATED 2010-11
4.5	1.0 1.0 2.0 0.5	PROPOSED 2011-12	S 1,308,041	3,519,359	1,995,000 250,000 450,000 282,234 557,752	8,041,304	(986,959)	5,718,734	350,000 400,000 1,700,000 853,734 2,330,000 85,000	4,731,775	4,571,775 35,000 125,000	BUDGET FY 2011-12
			\$ 1,231,977	3,051,336	1,995,000 250,000 282,234 557,752	7,054,345	(918,024)	5,716,234	360,500 420,000 1,785,000 853,734 2,185,000 112,000	4,798,211	4,663,211 35,000 100,000	BUDGET FY 2012-13
			\$ 1,166,176	1,067,511	1,995,000 250,000 - 282,234 - 557,752	6,136,322	(1,983,824)	6,805,299	371,315 441,000 1,874,250 853,734 3,185,000 80,000	4,821,475	4,756,475 35,000 30,000	BUDGET FY 2013-14
			\$ 1,081,070	(1,206,419)	1,995,000 250,000 - 282,234 557,752	4,152,497	(2,273,930)	7,160,534	382,454 463,050 1,967,963 853,734 3,390,000 103,333	4,886,604	4.851,604 33,000	BUDGET FY 2014-15

City of Auburn Fiscal Year 2011-12 Budget Sewer Enterprise Fund (Fund 11)

Rate @ FY 2011/12

\$ 58.25

Total:	Associate Civil Engineer Engineering Tech II Maintenance Worker II Mechanic	Personal Services Allocation	NET FROM OPERATIONS	Ending Fund Balance	Less: Reserve for WWTP UV Disinfection Reserve for Regionalization Study Reserve for WWTP Upgrade Project General Reserve (894) - SWRCB Loans Debt Service Reserve - Upgrade Project Bonds	Beginning Fund Balance	Excess (deficit) of revenues over expenditures	Total:	Bond Closing Costs	Mandatory Minimum Penalties	Capital Projects	Debt Service	Contract Operations	Administrative Expense - Staff Costs	Expenditures:	Total:	Debt Proceeds	Miscellaneous Income	Sewer Development Fees	Sewer Service Charges Sewer Connection Fees	жегениез.	Davissins
2.0	1.0 0.0 0.0	AUTHORIZED 2008-09	\$ 1,959,552	\$ 2,239,950	1,995,000 250,000 201,431	4,560,370	\$ 126,011	\$ 4,404,562	-	,	1,872,143	282,234	1.560.657	\$ 200,823		\$ 4,530,573	-	64,800		\$ 4,295,472		ACTUAL 2008-09
2.0	1.0 0.0	AUTHORIZED 2009-10	\$ 1,591,989	3,184,989	1,995,000 250,000 3,317,903 282,234 557,752	4,686,381	4,901,497	8,081,185		71,733	4,899,885	927,440	311,353	223,808		12,982,682	8,213,768	162,832	(33,456)	4,610,457		ACTUAL 2009-10
3.0	0.0	AUTHORIZED 2010-11	S 1,405,716	3,526,836	1,595,000 250,000 1,545,772 282,234 557,752	9,587,878	(1,430,284)	6,160,284	-	100,000	2,846,000	853,734	390,550	250,000		4,730,000		150,000		4,570,000		BUDGET 2010-11
		·	\$ 1,504,973	3,938,415	1,995,000 250,000 1,017,903 282,234 557,752	9,587,878	(1,546,574)	6,338,777	-	141,000	3,093,750	853,734	338,861	238,500		4,792,203	-	100,000		4,650,000		AS OF 04/13/11 ESTIMATED 2010-11
4.5	1.0 1.0 2.0 0.5	PROPOSED 2011-12	\$ 1,470,593	3,681,911	1,995,000 250,000 450,000 282,234 557,752	8,041,304	(824,407)	5,718,734	-	83,000	2,330,000	853,734	400,000	350,000		4,894,327		125,000		4,734,327		BUDGET FY 2011-12
			S 1,397,780	3,379,691	1,995,000 250,000 - 282,234 557,752	7,216,897	(752,220)	5,716,234	,	- 000,211	2,185,000	853,734	420,000	360,500		4,964,014		100,000	-2,000	4,829,014		BUDGET FY 2012-13
			\$ 1,335,295	1,564,985	1,995,000 250,000 - 282,234 557,752	6,464,677	(1,814,705)	6,805,299	-	80,000	3,185,000	853,734	441,000	371,315		4,990,594		30,000	22,000	4,925,594	-	BUDGET FY 2013-14
	·		S 1,253,572	(536,443)	1,995,000 250,000 - 282,234 557,752	4,649,971	(2,101,428)	7,160,534		103,333	3,390,000	853,734	463,050	382,454		5,059,106	-		00,000	5,024,106		BUDGET FY 2014-15

City of Auburn Fiscal Year 2011-12 Budget Sewer Enterprise Fund (Fund 11)

Rate @ FY 2011/12

\$ 60.50

Total:	Associate Civil Engineer Engineering Tech II Maintenance Worker II Mechanic	Personal Services Allocation	NET FROM OPERATIONS	Ending Fund Balance	Less: Reserve for WWTP UV Disinfection Reserve for Regionalization Study Reserve for WWTP Upgrade Project General Reserve (8%) - SWRCB Loans Debt Service Reserve - Upgrade Project Bonds	Beginning Fund Balance	Excess (deficit) of revenues over expenditures	Total:	Administrative Expense - Staff Costs Materials and Services Contract Operations Debt Service Capital Projects Capital Outlay Mandatory Minimum Penalties Bond Closing Costs	Total:	Sewer Service Charges Sewer Connection Fees Sewer Development Fees Interest Income Miscellaneous Income Debt Proceeds	Revenues:
2.0	0.0 0.0 0.0	AUTHORIZED 2008-09	\$ 1,959,552	\$ 2,239,950	1,995,000 250,000 - 201,431	4,560,370	\$ 126,011	\$ 4,404,562	\$ 200.823 478,355 1.560,657 282,234 1,872,143 10,350	\$ 4,530,573	\$ 4,295,472 38,602 - 131,699 64,800	ACTUAL 2008-09
2.0	1.0 0.0	AUTHORIZED 2009-10	S 1,591,989	3,184,989	1,995,000 250,000 3,317,903 282,234 557,752	4,686,381	4,901,497	8,081,185	223,808 311,333 1,677,244 927,440 4,899,885 41,455	12,982,682	4,610,457 29,081 (33,456) 162,832 8,213,768	ACTUAL 2009-10
3.0	1.0 0.0	AUTHORIZED 2010-11	\$ 1,405,716	3,526,836	1,995,000 250,000 1,545,772 282,234 557,752	9,587,878	(1,430,284)	6,160,284	250,000 390,350 1,610,000 853,734 2,846,000 110,000	4,730,000	4,570,000 110,000 150,000	BUDGET 2010-11
			\$ 1,504,973	3,938,415	1,995,000 250,000 1,017,903 282,234 557,752	9,587,878	(1,546,574)	6,338,777	238,500 338,861 1,575,000 823,734 3,093,730 97,932 141,000	4,792,203	4,650,000 42,203 100,000	AS OF 04/13/11 ESTIMATED 2010-11
4.5	1.0 1.0 2.0 0.5	PROPOSED 2011-12	\$ 1,653,464	3,864,782	1,995,000 250,000 450,000 282,234 557,752	8,041,304	(641,536)	5,718,734	350,000 400,000 1,700,000 833,734 2,330,000 85,000	5,077,198	4,917,198 35,000 125,000	BUDGET FY 2011-12
			\$ 1,584,308	3,749,090	1,995,000 250,000 - 282,234 557,752	7,399,768	(565,692)	5,716,234	360,500 420,000 1,785,000 823,734 2,185,000 112,000	5,150,542	5,015,542 35,000 - 100,000	BUDGET FY 2012-13
			\$ 1,525,554	2,124,644	1,995,000 250,000 282,234 557,752	6,834,076	(1,624,446)	6,805,299	371,315 441,000 1,874,250 833,734 3,185,000 80,000	5,180,853	5,115,853 35,000 30,000	BUDGET FY 2013-14
			S 1,447,636	217,280	1,995,000 250,000 - - 282,234 557,752	5,209,630	(1,907,364)	7,160,534	382,454 463,050 1,967,963 853,734 3,390,000 103,333	5,253,170	5,218,170 35,000	BUDGET FY 2014-15

City of Auburn Fiscal Year 2011-12 Budget Sewer Enterprise Fund (Fund 11)

With 20-Year Financing of Oxidation Ditch

Rate @ FY 2011/12

\$ 56.25

Total:	Associate Civil Engineer Engineering Tech II Maintenance Worker II Mechanic	Personal Services Allocation	NET FROM OPERATIONS	Ending Fund Balance	Less: Reserve for WWTP UV Disinfection Reserve for Regionalization Study Reserve for WWTP Upgrade Project General Reserve (8%) - SWRCB Loans Debt Service Reserve - Upgrade Project Bonds	Beginning Fund Balance	Excess (deficit) of revenues over expenditures	Total:	Botta Closing Costs	Mandatory Minimum Penalties	Capital Projects	Contract Operations Debt Centre	Administrative Expense - Staff Costs	Expenditures:	Total:	Debt Proceeds	Interest Income Miscellaneous Income	Sewer Development Fees	Sewer Service Charges Sewer Connection Fees	Revenues:		
2.0	6.0 0.0 0.1 0.1	AUTHORIZED 2008-09	\$ 1,959,552	\$ 2,239,950	1,995,000 250,000 201,431	4,560,370	\$ 126,011	\$ 4,404,562	-	10,350	1,872,143	1,560,657	\$ 200,823		\$ 4,530,573		131,699		\$ 4,295,472		ACTUAL 2008-09	With 20-Year Financing of Oxidation Ditch
2.0	0.0	AUTHORIZED 2009-10	\$ 1,591,989	3,184,989	1,995,000 250,000 3,317,903 282,234 557,752	4,686,381	4,901,497	8,081,185		41,455	4,899,885	1,677,244	223,808		12,982,682	8,213,768	162,832	(33,456)	4,610,457		ACTUAL 2009-10	of Oxidation Ditch
3.0	1.0 1.0 1.0 0.0	AUTHORIZED 2010-11	\$ 1,405,716	3,526,836	1,995,000 250,000 1,545,772 282,234 557,752	9,587,878	(1,430,284)	6,160,284	-	110,000	2,846,000	1,610,000	250,000		4,730,000	-1	150,000	14,000	4,570,000		BUDGET	
			\$ 1,504,973	3,938,415	1,993,000 250,000 1,017,903 282,234 557,752	9,587,878	(1,546,574)	6,338,777	<u> </u>	97,932 141,000	3,093,750	1,575,000	238,500		4,792,203		100,000	72,203	4,650,000		AS OF 04/13/11 ESTIMATED 2010-11	
4.5	1.0 1.0 2.0 0.5	PROPOSED 2011-12	\$ 1,308,041	3,519,359	1,995,000 250,000 450,000 282,234 557,752	8,041,304	(986,959)	5,718,734	-	85,000	853,734 2,330,000	1,700,000	350,000		4,731,775		125,000	53,000	4,571,775		BUDGET	
			\$ 799,657	2,786,696	1,995,000 250,000 4,400,000 282,234 990,072	7,054,345	3,649,657	6,148,554	-	112,000	1,286,054 2,185,000	1,785,000	360,500	,	9,798,211	5,000,000	100,000	20,000	4,663,211		BUDGET	
			\$ 733,856	2,470,551	1,995,000 250,000 2,300,000 282,234 990,072	10,704,602	(2,416,144)	7,237,619		80,000	1,286,054 3,185,000	441,000 1,874,250	371,315		4,821,475		30,000	23,000	4,756,475	1	BUDGET	
	,		S 648,750	1,864,301	1,995,000 250,000 200,000 282,234 990,072	8,287,857	(2,706,250)	7,592,854		103,333	1,286,054	463,050 1,967,963	382,454		4,886,604			20,000	4,851,604	A A CONT. A CO	BUDGET	

City of Auburn Fiscal Year 2011-12 Budget Sewer Enterprise Fund (Fund 11)

Rate @ FY 2011/12

\$ 58.25

Total:	Associate Civil Engineer Engineering Tech II Maintenance Worker II Mechanio	Personal Services Allocation	NET FROM OPERATIONS	Ending Fund Balance	Less: Reserve for WWTP UV Disinfection Reserve for Regionalization Study Reserve for WWTP Upgrade Project General Reserve (8%) - SWRCB Loans Debt Service Reserve - Upgrade Project Bonds	Beginning Fund Balance	Excess (deficit) of revenues over expenditures	Total:	Bond Closing Costs	Mandatory Minimum Penalties	Capital Outlay	Debt Service	Contract Operations	Administrative Expense - Staff Costs Materials and Services	Expenditures:	Total:	Debt Proceeds	Miscellaneous Income	Sewer Development Fees	Sewer Connection Fees	Sewer Service Charges	Revenues:		
2.0	0.0	AUTHORIZED 2008-09	\$ 1,959,552	\$ 2,239,950	1,995,000 250,000 201,431	4,560,370	\$ 126,011	\$ 4,404,562	1		10,350	282,234	1,560,657	\$ 200,823		\$ 4,530,573		64,800	121 600	38,602	\$ 4,295,472	2008-09	ACTUAL	With 20-Year Financing of Oxidation Ditch
2.0	1.0 0.0	AUTHORIZED 2009-10	\$ 1,591,989	3,184,989	1,995,000 250,000 3,317,903 282,234 557,752	4,686,381	4,901,497	8,081,185			41,455	927,440	1,677,244	223,808		12,982,682	8,213,768	102,002	(33,456)	29,081	4,610,457	2009-10	ACTUAL	of Oxidation Ditch
3.0	1.0 1.0 1.0 0.0	AUTHORIZED 2010-11	\$ 1,405,716	3,526,836	1,995,000 250,000 1,545,772 282,234 557,752	9,587,878	(1,430,284)	6,160,284	-	100,000	110,000	853,734	1,610,000	250,000		4,730,000	,	130,000	150,000	10,000	4,570,000	11-0102	BUDGET	
			\$ 1,504,973	3,938,415	1,995,000 250,000 1,017,903 282,234 557,752	9,587,878	(1,546,574)	6,338,777		141,000	97.932	853,734	1,575,000	238,500		.4,792,203	-	100000	100 000	42,203	4,650,000	2010-11	AS OF 04/13/11 ESTIMATED	
4.5	1.0 1.0 2.0 0.5	PROPOSED 2011-12	\$ 1,470,593	3,681,911	1,995,000 250,000 450,000 282,234 557,752	8,041,304	(824,407)	5,718,734	 -	,	2,330,000 85,000	853,734	1,700,000	350,000		4,894,327	,	123,000	125,000	35,000	4,734,327	FY 2011-12	BUDGET	
			\$ 965,460	3,115,051	1,995,000 250,000 4,400,000 282,234 990,072	7,216,897	3,815,460	6,148,554	-	-	2,185,000	1,286,054	1,785,000	360,500		9,964,014	5,000,000	-	100.000	35,000	4,829,014	FY 2012-13	BUDGET	
•			\$ 902,975	2,968,025	1,995,000 250,000 2,300,000 282,234 990,072	11,032,357	(2,247,025)	7,237,619		-	3,185,000	1,286,054	1,874,250	371,315		4,990,594	-	20,000	20,000	35,000	4,925,594	FY 2013-14	BUDGET	
		÷	\$ 821,252	2,534,277	1,995,000 250,000 200,000 282,234 990,072	8,785,331	(2,533,748)	7,592,854	-		3,390,000	1,286,054	1,967,963	382,454		5,059,106	_			35,000	5,024,106	FY 2014-15	вилсет	

City of Auburn Fiscal Year 2011-12 Budget Sewer Enterprise Fund (Fund 11)

With 20-Year Financing of Oxidation Ditch

Rate @ FY 2011/12

\$ 60.50

Total:	Associate Civil Engineer Engineering Tech II Maintenance Worker II Mechanic	Personal Services Allocation	NET FROM OPERATIONS	Ending Fund Balance	Less: Reserve for WWTP UV Disinfection Reserve for Regionalization Study Reserve for WWTP Upgrade Project General Reserve (8%) - SWRCB Loans Debt Service Reserve - Upgrade Project Bonds	Beginning Fund Balance	Excess (deficit) of revenues over expenditures	Total:	Administrative Expense - Staff Costs Materials and Services Contrast Operations Debt Service Capital Projects Capital Outlay Mandatory Minimum Penalties Bond Closing Costs	Total:	Sewer Development Fees Interest Income Miscellaneous Income Debt Proceeds	Sewer Service Charges Sewer Connection Fees	Revenues:
2.0	1.0 1.0 0.0	AUTHORIZED 2008-09	\$ 1,959,552	\$ 2,239,950	1,995,000 250,000 201,431	4,560,370	\$ 126,011	\$ 4,404,562	\$ 200,823 478,355 1,560,657 282,234 1,872,143 10,350	\$ 4,530,573	131,699 64,800	\$ 4,295,472 38,602	ACTUAL 2008-09
2.0	1.0 1.0 0.0	AUTHORIZED 2009-10	S 1,591,989	3,184,989	1,995,000 250,000 3,317,903 282,234 557,752	4,686,381	4,901,497	8,081,185	223,808 311,353 1,677,244 927,440 4,899,885 41,455	12,982,682	(33,456) 162,832 8,213,768	4,610,457	ACTUAL 2009-10
3,0	1.0 1.0 1.0 0.0	AUTHORIZED 2010-11	\$ 1,405,716	3,526,836	1,995,000 250,000 1,545,772 282,234 557,752	9,587,878	(1,430,284)	6,160,284	250,000 390,550 1,610,000 853,734 2,846,000 110,000	4,730,000	150,000	4,570,000	BUDGET 2010-11
			\$ 1,504,973	3,938,415	1,995,000 250,000 1,017,903 282,234 557,752	9,587,878	(1,546,574)	6,338,777	238,500 338,861 1,575,000 853,734 3,093,730 97,932 141,000	4,792,203	100,000	4,650,000 42,703	AS OF 04/13/11 ESTIMATED 2010-11
4.5	1.0 1.0 2.0 0.5	PROPOSED 2011-12	\$ 1,653,464	3,864,782	1,995,000 250,000 450,000 282,234 557,752	8,041,304	(641,536)	5,718,734	350,000 400,000 1,700,000 853,734 2,330,000 85,000	5,077,198	125,000	4,917,198	BUDGET FY 2011-12
			\$ 1,151,988	3,484,450	1,995,000 250,000 4,400,000 282,234 990,072	7,399,768	4,001,988	6,148,554	360,500 420,000 1,785,000 1,286,034 2,185,000 112,000	10,150,542	100,000	5,015,542	BUDGET FY 2012-13
			\$ 1,093,234	3,527,684	1,995,000 250,000 2,300,000 282,234 990,072	11,401,756	(2,056,766)	7,237,619	371,315 441,000 1,874,250 1,286,054 3,185,000 80,000	5,180,853	30,000	5,115,853	BUDGET FY 2013-14
			\$ 1,015,316	3,288,000	1,995,000 250,000 200,000 282,234 990,072	9,344,990	(2,339,684)	7,592,854	382,454 463,050 1,967,963 1,286,054 3,390,000 103,333	5,253,170	-	5,218,170	BUDGET FY 2014-15

City of Auburn Fiscal Year 2011-12 Budget Sewer Enterprise Fund (Fund 11) Capital Expenditure Detail

APPLICABLE TO ALL EXHIBITS

Total:	TO STATE AND WOOD IN TORIGIN	XXXXX - I&I Reduction Program	XXXXX - Source Control Program	XXXXX - Contract Operations RFP	XXXXX - Aeration Improvements	XXXXX - Oxidation Ditch	XXXXX - Pond 1B Lift Station	XXXXX - Southridge Lift Station	AAAAA - Diamond Kidge Lift Station	ANALYSIS OF ASIS THE STREET	XXXXX - Vieta de Vol I ift Station	XXXXX - Authorn Oaks I in Continu	AAAAA - Electric Street Sewer	XXXXX - Belt Fress Improvements	XXXXX - SSMP Updates	XXXXX - WWTP Replacement Storage	XXXXX - WWTP Pond Improvements	XXXXX - WWTP SCADA Improvements	63896 - WWTP Solar Project	66003 - Vactor / Vactor Truck Repower	66000 - Jury Parking Lot	63703 - Falcons Point Lift Station	63702 - WWTP Upgrade / UV Project	65008 - Vintage Oaks Liftstation	65001 - Back Flow Preventer Device	63914 - NPDES Permit Renewal	63913 - Gunite Ditch - WWTP	63903 - WWTP - Repairs / Projects	63902 - Prospector Hill Sewer Projects	63901 - Sewer Map Updates	63899 - Emergency Sewer Repair Projects	63898 - North McDaniel / Skyridge Sewer	63897 - Canyon Court / Foresthill Ave.	63895 - Lift Station Repairs	63894 - Village Lane/Fulweiler Sewer	63871 - Old WWTP Demolition		Capital Expenditures	1
\$ 1,872,143	,				-									,	ļ ,		 -			34,125		37,194	482,795	482,820	r	917	3,077	129,215	9,094	6,608	623,474	8,357	1,412	46,326			\$ 6,729		ACTUAL 2008-09
4,899,885						1		1									-		21,387	22,232	25,034	25,174	3,840,563	448,181		2,934		47,234	•	820	446,417	-	-	11,232	234	-	8,443		ACTUAL 2009-10
2.846.000			1		•		-	1	1	1	80,000	65,000	50,000	180,000			-	•	-	-	•	200,000	1,400,000	100,000	10,000	100,000	15,000	100,000	•	10,000	500,000	,	1	20,000	-	6,000	10,000		BUDGET 2010-11
3 003 750						•	•				25,000		10,000	25,000	•	-		•	,	. 250	•	430,000	2,300,000	50,000	2,000	25,000		2,000	-	1,500	200,000	•	•	18,000	•	,	5,000		ESTIMATED 2010-11
2 330 000	15,000	20,000	20,000	000,02	25,000	150,000	,	,	10,000	1	900,000		50,000	250,000	10,000	-	,					75,000	125,000	•		50,000		50,000		10,000	500,000		-	20,000	,	10,000	10,000		BUDGET FY 2011-12
2 185 000	15,000	20,000	3		,,,,,,,,	450 000	300.000	-	-		-	150,000	600,000		10,000	,												50.000		10,000	500,000			20,000		50,000	10,000		BUDGET FY 2012-13
3 196 000	15,000	20,000			200,000,000	2 100 000		1	•	150,000					10,000	t										50.000		50,000		10,000	550,000			20,000		200,000	10,000		BUDGET FY 2013-14
2 200 000	15,000	25,000			000,001,7	2 100 000			150,000						10,000					300.000								50.000		10.000	550,000			20,000		150,000	10,000	·	BUDGET FY 2014-15

City of Auburn

Topic: Secondary Treatment Options for the WWTP

PREPARED FOR:

Bernie Schroeder / City of Auburn Director of Public Works

PREPARED BY:

Dan Rich, P.E., NEXGEN

DATE:

April 20, 2011

The purpose of this memo is to summarize the City of Auburn's (City's) options related to secondary treatment enhancements and compliance with new nitrogen limitations within its Waste Discharge Requirements (Order No. R5-2010-0090).

The City's discharge permit now includes the following compliance limits for effluent nitrogen:

- o 10 mg/L nitrate-N as a maximum monthly average
- o 1.9 mg/L ammonia-N as a maximum monthly average
- o 5.8 mg/L ammonia-N as a daily maximum condition

Existing Secondary Treatment Facilities and Performance

The City uses an oxidation ditch activated sludge system for secondary treatment. The system is comprised of an oxidation ditch, three secondary clarifiers, and a return sludge pump station. The existing facilities are shown in Figure 1. The oxidation ditch, return sludge pump station, and secondary clarifier no. 1 were constructed in 1975. Clarifier no. 2 was constructed in 1988 and clarifier no. 3 was added in 2010. The return sludge pump station was also rehabilitated in 2010.

The existing oxidation ditch is a 1.25 million gallon aeration basin. It is constructed of 6-inch thick reinforced gunite sloped walls. The water depth is about 12 feet. Since there is only one basin it cannot be taken out of service. The ditch uses 2-50 horsepower brush rotors aerators that sit on top of the water. The brushes, gear boxes, and motors have been rehabilitated several times since 1975. In 2010, the City added a 20 horsepower floating brush aerator to be used when the other rotors are being repaired and during high air temperatures when aeration efficiencies are reduced.

Dry weather flows into the WWTP are currently about 1.2 million gallons per day (mgd). The plant and oxidation ditch have a permitted capacity to treat 1.67 mgd. Oxidation ditches are designed to operate in what is referred to as "extended aeration" mode. This means the bacteria are maintained at sludge ages greater than 15 days to fully biologically oxidize the wastewater.






Figure 1
Existing City of Auburn WWTP

To meet the new effluent nitrogen limits, the ditch is currently operated to nitrify and partially denitrify by timing the aeration rotors to sequence on and off. While the aerators are on, the system nitrifies (bacteria oxidize ammonia to nitrate). When turned off, the system denitrifies (bacteria use nitrate as their oxygen source and nitrate is converted to nitrogen gas).

To date, the system has performed well and is in general compliance with the new nitrogen limits. Because the ditch was not originally designed to reduce nitrogen to the levels in the permit the City has been monitoring how reliably the process works when colder temperatures and elevated wet weather flows reduce nitrification efficiency. The City is required to report back to the Regional Water Board in late 2011 if further enhancements are needed to comply with the ammonia nitrogen limits. If needed, the City has until September of 2014 to be in full compliance with the new ammonia limits.



Concerns Regarding Long-Term Operation of the Existing Oxidation Ditch

There are three primary concerns with long-term operation of the existing oxidation ditch:

- Reliability / redundancy issues with one older oxidation ditch in service
- 2. Ability to meet effluent nitrogen limits during cold weather periods with one ditch
- Ability to meet effluent nitrogen limits as the City grows and flows approach 1.67 mgd with one ditch

1. Reliability / Redundancy Issues with One Older Oxidation Ditch in Service

The oxidation ditch has provided reliable treatment for the past 35 years and has never been taken out of service. As the facility ages, the risk for problems also increase. These are not quantifiable risks in part because the basin cannot be taken out of service to inspect its condition, but the risks exist nonetheless. Reliability and redundancy concerns include:

- Accumulation of debris (grit, rocks, trash) at the bottom of the ditch will reduce treatment capacity (volume). As an example, the City of Woodland has four oxidation ditches at its WWTP. Every few years they take a ditch out of service and must remove several feet of grit and trash that have accumulated along the bottom
- Condition of the concrete structure. It is typical to assume concrete structures in WWTPs have a useful life of about 50 years without some form of rehabilitation. This basin is constructed of 6-inch reinforced gunite sloped walls, which is considered less substantial than typical 12-inch thick concrete walls used for most structures. Since the basin cannot be taken out of service to determine the actual structural condition, it is logical to assume that the ditch has expended at least 70 percent (35 out of 50 years) of its useful life.

While it is not uncommon for smaller WWTPs to have only one oxidation ditch, these plants are typically planned so that additional ditches are constructed as the community grows. Because of the City's relatively low rate of residential growth, reliability concerns may trigger the need for another basin prior to the need for additional capacity.

2. Ability to Meet Effluent Nitrogen Limits during Cold Weather Periods

The City's summertime wastewater temperatures are typically over 20 degrees C but can be as low as 10 degrees C in the winter. At the lower temperatures, nitrifying bacteria activity is diminished by about a third from their normal rate. WWTPs can compensate for the reduced rates by increasing the amount of solids (bacteria) within the aeration basin during colder periods.

The ability of the existing ditch to meet the stringent ammonia limits year-round is being evaluated by reviewing operational data from last winter. The City did experience a prolonged cold period in January 2011 and effluent ammonia levels did in fact increase to near (but not above) the effluent limits. It is difficult to determine whether the instability was a result of the construction project that had just been completed or insufficient volume in the ditch for the bacteria to completely oxidize the ammonia in the water.



3. Ability to Meet Nitrogen Limits as the City Grows and the Flows Approach 1.67 mgd

The ditch currently provides simultaneous nitrification and denitrification within the same basin by cycling air on and off. While this appears to be working very effectively, it is difficult (and largely speculative) to project how well this will work as the loads increase to the 1.67 mgd capacity condition. Process modeling is well understood for conventional nitrification/ denitrification processes where there are separate compartments for nitrification (under aeration) and denitrification (no aeration). By turning air on and off, the operators are essentially making temporary, non-ideal zones that denitrify the wastewater that cannot be modeled. The City will likely continue to monitor each year's performance to determine if nitrogen removal efficiencies are reduced as wastewater load increases. Historically, City growth rates have been low enough that this approach would provide sufficient time to make whatever modifications are needed.

The City recently approved the Baltimore Ravine Specific Plan (BRSP). It has been estimated that at build-out of the BRSP, flows would be close to the WWTP's 1.67 mgd capacity. The Environmental Impact Report (EIR) for the BRSP envisioned that a second oxidation ditch would be needed to serve all City growth.

Recommended Approach

If the City is interested in mitigating these risks and adding another oxidation ditch process, the following approach is recommended:

- 1) Build the new oxidation ditch in a portion of Pond 4.
- 2) Provide the same peak flow hydraulic capacity to that of the tertiary processes (6.1 mgd). This will allow the City to never need to divert flows around the secondary process as it has had to during large storm events.
- 3) Build the new ditch to at least match the capacity of the existing ditch so the existing ditch can be taken out of service for rehabilitation.
- 4) When operated together, provide at least 2.0 mgd of capacity for planned City growth and complete logical accommodations so that up to 2.5 mgd (the reported ultimate build-out flows from the City) can be treated in the future. Such phasing can likely be accomplished by adding additional clarifiers at some point in the future.
- 5) Have the new ditch utilize separate nitrification and denitrification compartments as many of the conventional systems use. This process, called the "Modified Ludzack-Ettinger" (MLE) Process, is well-established, can be modeled, and provides robust nitrification and denitrification that will comply with the permit effluent nitrogen limitations.

A schematic concept of how the second oxidation ditch could be added to WWTP is provided in Figure 2. There are many different ways to configure the ditch "racetracks" and different aeration technologies. The configuration depicted in Figure 2 is a ditch that has been folded over so that it minimizes its footprint, 15 to 18 foot tall vertical concrete walls, two vertical aerators, and submersible mixers.






Figure 2 Schematic Layout of One Possible Option to Add a Second Oxidation Ditch

Budgetary Costs to Construct a Second Oxidation Ditch

Table 1 presents major task items, order of magnitude costs, and schedule needed to implement a second oxidation ditch. This schedule is consistent with the September 2014 milestone for full compliance listed in the City's C&D. Until completion of the pre-design, the total project has been budgeted at about \$5,000,000 based on costs experienced at other WWTPs.



Table 1

Major Tasks, Budgetary Costs, and Schedule to Implement a Second Oxidation Ditch

Task	Budgetary - Cost	Schedule Assuming Start in Summer of 2011
Pre-design Report (Surveying, Geotechnical Studies, Process Modeling, Preliminary Drawings, and Cost Estimate)	\$125,000	Complete by Dec 2011
Approved Mitigated Negative Declaration Documentation	\$25,000	Complete by March 2012
Financial Plan to Fund Improvements	\$25,000	Complete by March 2012
Council approval to start design and fund project		April 2012
Final Design of Improvements	\$400,000	Complete by Dec of 2012
Advertise, Bid, and Award Project	\$25,000	Notice to Proceed April 2013
Project Construction and Construction Management (18 month duration assumed)	<u>\$4,200,000</u>	Construction Complete by Sept 2014
Project Total	\$4,800,000	



(This page intentionally left blank)